



Complete Tyre Care, Made Easy

Garage Tools

& Accessories For

Automotive &

Tyre Service Industry

2023-2024

Premium Quality





SOLUTIONS FOR

Vehicle Garages



Professional Tyre Shops



Garage Equipment Manufacturers





Professional Tyre & Garage Tools since 1987



Mr. Mahendra N. Goel President

Sarveshwari Engineers stands at the forefront of technology & innovation delivering superior products in tandem with maximized cost effectiveness. Quality remains at the core of our commitment.

Our philosophy to nurture long term associations with our esteemed customers and partners stimulates us towards a systematic approach for rapid implementation. Our credo has been to identify and cater to ever changing needs of our clients adding value through monitoring and management processes, utilities and environment.

Our endeavour to strengthen partnerships and successfully execute projects to various markets in all major markets and companies across India and the international markets has enabled achieve highest standard of excellence.

PRESENCE IN INTERNATIONAL EXHIBITIONS:











Reifen, Essen Germany



Automechanika, Frankfurt Germany



Autopromotec, Bologna Italy



Tyre Expo, Joburg South Africa



Sema Show, Las Vegas USA



The Tire Cologne, Cologne Germany



Sarveshwari Group

Sarveshwari Engineers

Manufacturers and Exporters of Garage Tools and Accessories

www.sarveshwari.com

Sarveshwari Technologies Ltd.

Workshop Tools & Equipments

www.garageequipments.com



ENGINEERING INNOVATION DESIGN

Sarveshwari Engineers popularly known by its brand name with its success story going over more than 28 years in the automotive industry has gained international reputation with its high quality products and premium services.

Today is synonymous with garage tools and equipment in terms of reliability, competency, outstanding service and pioneering innovation. We believe in constantly evolving with the needs of the customer in order to provide greater flexibility in national and international markets. With the skill of manufacturing tools and accessories for garage equipment through continuous R&D and an undaunted urge to achieve perfection, stands as the most preferred brand for solutions for garage equipment manufacturers, professional tyre shops and garages.

At we offer customized system solutions fulfilling needs of our customers with world-class products and excellent service of highest standards at any place and any time. Quality is the guiding light at free The products manufactured undergo stringent quality control as per the international standards at our three manufacturing units at Kundli (Haryana) that have in-house facilities like steel forging, plastic moulding, sheet metal jobs, surface finishing and despatch logistics. Our focus to achieve and deliver the best has earned us global reputation and international presence.

Today Sarry caters to more than 70 countries around the world including Germany, Italy, France, UK, U.S.A, Poland, Australia, Middle East, Africa, Japan, Malaysia, Singapore.

With our Engineering, Innovation and Design, we aspire to become the ultimate solution provider for the entire tyre market and let the world seek no further!











































ENGINEERING • INNOVATION • DESIGN

TABLE OF **CONTENTS**

Wheel Balancing Machine Accessories02 - 06	
Wheel Alignment Machine Accessories07 - 11	
Rubber Pads for Vehicle Lifts12 - 14	
Rubber Pads for Jack15 - 15	
Tyre Service Tools16 - 23	
Tyre Changing Machine Accessories24 - 36	
Rubber & Nylon Pads For Tyre Changers37 - 38	
Tyre Valve Tools39 - 41	
Tyre Repair Tools42 - 46	
Tubeless Tyre Repair Kits47 - 48	
Miscellaneous Tools49 - 49	













110051









4 111001











1 Wheel Balancing Weight Plier (Premium)

Colour: Size: Weight: Code No. 255mm long 395gms 110001 Red Black 255mm long 395gms 110011 395gms Blue 255mm long 110031 395gms Green 255mm long 110051

Material : Drop Forged Chrome Vanadium Steel, hardened & tempered for longer life.

Finish: Sand Blasted, Nickel Chrome plated polished hammer head with PVC coated handle for hand protection.

: Loosening, cutting to size & securing wheel weights.

2 Wheel Balancing Weight Plier with Soft Head

 Size:
 Weight:
 Code No.

 255mm long
 390gms
 110101

Use : Loosening, cutting to size & securing wheel weights on the

Aluminum Alloy rims.

Special Plastic Hammer Head

Use

 Size:
 Weight:
 Code No.

 27mm Dia (OD)
 7gms
 1100019

Note: This Hammer head fits only on the Plier 110101.

3 Wheel Balancing Weight Plier

Size: Weight: Code No. 255mm long 341gms 115011

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered.
 Finish: Sand Blasted, Nickel Chrome Plated polished Hammer head with PVC coated handle for hand protection.

4 Wheel Balancing Weight Plier

 Size:
 Weight:
 Code No.

 260mm long
 380gms
 111001

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Black Powder Coating with red PVC handle.

5 Plier with Longer Hammer (Heavy & Strong)

Size: Weight: Code No. 260mm long 535gms 110021

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Heavy & extra strong. Black Powder Coating with red PVC handle.

6 Deluxe Soft Head Wheel Weight Plier

Size: Weight: Code No. 260mm long 500gms 110184

Material: Heat Strengthened Steel. Comfortable Vinyl handle grip. Replaceable special Plastic durable Hammer cap.

Wheel Balancing Weight Plier for Truck

 Size:
 Weight:
 Code No.

 265mm long
 680gms
 110009

Material: Drop Forged Chrome Vanadium Steel, hardened & tempered.

Use: Removing and fixing of Truck wheel weights.

8 Wheel Balancing Weight Plier (Sheet Metal)

 Size:
 Weight:
 Code No.

 250mm long
 315gms
 110002

Material: Sheet Metal of EN9 Steel, hardened and tempered.

Finish: Sand Blasted Auto Black, with red PVC handle.

9 Wheel Balancing Weight Plier with Soft Head (Sheet Metal)

Size: Weight: Code No. 240mm long 400gms 110003

Material: Sheet metal of EN9 Steel, hardened and tempered.


Finish: Sand Blasted Auto Black, PVC coated handles for hand protection.

Use: For removing and fixing of wheel weights having replaceable

: For removing and fixing of wheel weights having replaceable Nylon soft head with Nylon coated remover to prevent scratching.

WHEEL BALANCING MACHINE ACCESSORIES





10 Adhesive Weight Removing Plier

Size: Weight: Code No. 260mm long 425gms 110204

Material: Chrome Vanadium Steel / Special Alloy.

: Removes adhesive weights easily without damaging the soft metal rim. Light weight yet heavy duty. Comfortable angled design makes

it go deeply inside.

11 Adhesive Weight Cutter

 Size:
 Weight:
 Code No.

 190mm long
 245gms
 110174

Material: Carbon Steel.

Use: Used for cutting easily the segments of adhesive weight strip.

12 Adhesive Balance Weight Remover

lo.
BLU

Material: PA6

Use : For removing emblems, body moulding or adhesive wheel weights without damaging alloy rims. Can be re-sharpened. Easily scrapes off wheel weights, sticker or gasket.

13 Clip Fitting Tool

Size:Weight:Code No.220mm long130gms1100012

Material : CRC Sheet Steel. Opening : 15.5mm & 19.0mm Use : Tool designed for fixing/removing two piece balance weight.

Se : 1001 designed for fixing/removing two piece balance weight.

Used to hook & lift the clip for the fixing or removal of weight body.

4 Insertion Tool For Spoke Weights

 Size:
 Weight:
 Code No.

 460mm long
 1.100kg
 1100014

Material: Special Steel Casting.

Finish : Sand Blasted Powder Coating.

: A specialized tool for application of weights on spoked motorcycle rims. It transmits the energy required to close the weights without

damage to the spokes, rims or tyre.

15 Wheel Weight Fixer

Size:Weight:Code No.280mm long450gms110229

Material : Wooden handle, special Plastic Hammer head & middle part made from Casting.

Use : Used for securing/fixing wheel balancing weights by hammering clip weights and adhesive strips. Having special Plastic Hammer head to protect the wheel weights and light metal alloy rims.

16 Wheel Weight Remover/Fixer

Size:Weight:Code No.280mm long440gms110029

Material: Replaceable Pin made from Special Spring Steel.

Jse : For fixing & removing wheel balance weights while balancing wheels. Having special Plastic Hammer head to protect the coated wheel weights & alloy rims.

17 Bead Compression Tool

 Size:
 Weight:
 Code No.

 490mm long
 4.000kg
 1100212

Material: Made from Cast Steel.

se : Designed to compress the bead wall of an inflated tyre for the insertion of a balancing weight clip. It is released so that the inflated tyre holds the clip in position.









20 1100010

















23 11881374

23 11951854



24 110404

18 Rim Width Caliper (Standard)

Size:Weight:Code No.Measures wheel rim450gms110007

width from 3" to 14"

Material: ABS (Acrylonitrile Butadiene Styrene) for greater impact, strength

& longer durability.

Finish: High surface finish. Measuring scales have been designed by in mould and hot stamped for longer life and best readability.

Use : Measures wheel rim width while balancing in 1/2" or 1" increment.

19 Rim Width Caliper (with Ears)

Size: Weight: Code No.

Measures wheel rim 480gms 110008

width from 4" to 13" Inner dia 10" to 17"

Material: PA6 glass filled or ABS.

Finish : Black colour dull finish. The scales are screen printed for easy and

quick readability.

Use: For measuring inner and outer width of the wheels.

20 Rim Width Caliper (for Trucks)

Size:Weight:Code No.Measure wheel rim1.350kg1100010

width from 4" to 16"

Material: PA6 glass filled for super impact resistance. Measuring jaws made

out of Steel pipe.

Finish: Black colour and dull finish.

Use: Measuring rim width of Truck wheels.

21 PCD Measuring Tool

Weight: Code No. 110gms 110005 120gms 110025

Material: PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes

3, 4 and 5.

22 PCD Measuring Tool

Weight: Code No. 105gms 110015

Material: PA6 glass filled.

Use : To measure pitch circle diameter of wheels having mounting holes

3, 4, 5 and 6.

23 Self Centering Cone (Available in Two Bore Sizes)

	For 36mm	dia shaft	For 40mm	dia shaft
Rim Hole Size:	Weight	Code No.	Weight:	Code No.
Dia 43.0-65mm	400gms	1143693	340gms	1143694
Dia 54.0-80mm	900gms	1160813	790gms	1160814
Dia 74.0-112mm	2.100kg	11791103	2.050kg	11791104
Dia 88.5-137mm	1.725kg	11881373	1.625kg	11881374
Dia 98.0-183mm			5.500kg	11951854

Note : Cone 11951854 is used for Heavy Commercial Vehicles.

CONESET (Set of 3 Cones for 36mm & 40mm shaft)

Cones for 36mm dia shaft	Weight:	Code No.
1143693, 1160813, 11791103	3.400kg	CONESET36
Cones for 40mm dia shaft		
1143694, 1160814, 11791104	3.180kg	CONESET40

24 Threaded Shaft

Size:	Weight:	Code No.
36 x 3mm	1.100kg	110363
40 x 3mm	1.165kg	110403
40 x 4mm	1.170kg	110404

Use : Threaded shaft for Wheel Balancing Machine needed for the mounting of wheels for balancing.







30 113040 KIT

25	Quick I	Lock Nu	t for Whe	el Balan	icing Ma	chine

Size:	Weight:	Code No.
36 x 3mm	570gms	1103659
40 x 3mm	575gms	1104059
40 x 4mm	575gms	1114059
36 x 3mm	800gms	1133659
40 x 3mm	800gms	1134059
40 x 4mm	800gms	1144059

Use : Used for clamping wheels on the shaft of the Wheel Balancing Machine.

26 Standard Pressure Cup (with Rubber Ring)

Dia:	Height:	Weight:	Code No
130mm (5")	60mm	235gms	1104049
		Suitable for 1103659	
130mm (5")	60mm	200gms	1104050
		Suitable for 1104059	
115mm (4.5")	64mm	300gms	1104051
150mm (6")	76mm	480gms	1104052
126mm (5")	58mm	160gms	1104054
Material : DA6 glace	filled	Suitable for 1144059	

Material: PA6 glass filled.

Use

Used with Quick Release Nut of Wheel Balancing Machine.

27 Rubber Ring for Pressure Cup

Used with:	Weight:	Code No.
Pressure cup 1104049	29gms	1104049R
Pressure cup 1104050	23gms	1104050R
Pressure cup 1104051	46gms	1104051R
Pressure cup 1104052	62gms	1104052R
Pressure cup 1104054	54gms	1104054R

Material: Special Blended Rubber.

Use: Protects finished wheel surfaces when using a cup to clamp.

28 Wheel Clamping Cup

 Dia:
 Height:
 Weight:
 Code No.

 217mm
 36mm
 420gms
 1104060

Material: PA6 glass filled

Rubber Ring for Clamping Cup

 Dia:
 Height:
 Weight:
 Code No.

 225mm
 8.4mm
 115gms
 1104060R

Use: For securing the wheel on shaft of the machine while balancing.

29 Pressure Ring

 Dia:
 Height:
 Weight:
 Code No.

 82mm
 25mm
 60gms
 1104053

Material: PA6 glass filled.

Use

: Protects finished wheel surfaces when using a cup to clamp. Prevents metal to metal contact between the wheel balancer wing nut and wheel rim significantly increasing clamping force. Fits Aluminum Wing Nut. Aids in centering the wheel assembly on the balancer shaft.

Weight:

30 Motorcycle External Clamping Kit

The Kit contains the following items:

Balancer Shaft
Spacer
Shaft Nuts
Cones

6.300kg
Qty.
1 No.
8 No.
4 No.

Use

: Mounts Motorcycle wheels for balancing without removing the bearings on the Balancing Machines. The out clamp arms keep the wheel firmly in place. Supplied with mounting hardware. Suitable for 40mm shaft dia.



Code No.

113040KIT





31 110040UA







31 CRING58

31 CRING60

31 CRING65





32 1100518 - 1112018

33 1100528 - 1106028





34 1105038 - 1120038

35 1105048 - 1150048



36 1100058



36 1100050



36 1110060

31 Universal Wheel Balancing Adaptor

Weight: Code No. 5.00kg 110040UA

Material: Special Steel. Finish: Nickel Plating.

: Standard centering device to balance rims without central hole.

Suitable for 36 / 38 / 40 mm shaft dia. Valid for rims with 3, 4, 5 & 6 screws.



Centering rings for Universal Wheel Balancing Adaptor

Dia:	Weight:	Code No.
58mm	191gms	CERING58
60mm	212gms	CERING60
65mm	271ams	CERING65

: These rings are used for balancing the rims of French brands Use because just tightening the centering bolts is not enough. Dia 58mm ring is used for Citroen & Peugeot.

Dia 60mm ring is used for Renault.

Dia 65mm ring is used for Citroen, Peugeot and Renault.

32 Balancing Weights for Steel Rims

Weight:	Code No.	Weight:	Code No
5gms	1100518	65gms	1106518
10gms	1101018	70gms	1107018
15gms	1101518	75gms	1107518
20gms	1102018	80gms	1108018
25gms	1102518	85gms	1108515
30gms	1103018	90gms	1109018
35gms	1103518	95gms	1109518
40gms	1104018	100gms	1110018
45gms	1104518	105gms	1110518
50gms	1105018	110gms	1111018
55gms	1105518	115gms	1111518
60gms	1106018	120gms	1112018

Use : To accurately balance the wheels for proper run on the roads.

33 Wheel Balancing Clip Weights for Alloy Rims

Weight:	Code No.	Weight:	Code No.
5gms	1100528	35gms	1103528
10gms	1101028	40gms	1104028
15gms	1101528	45gms	1104528
20gms	1102028	50gms	1105028
25gms	1102528	55gms	1105528
30gms	1103028	60gms	1106028

Wheel Balancing Weights for LCV Steel Rims

Weight:	Code No.	Weight:	Code No.
50gms	1105038	125gms	1112538
75gms	1107538	150gms	1115038
100gms	1110038	200gms	1120038

35 Wheel Balancing Weights for Truck/Bus Steel Rims


whice balancing weights for Track/bas ofter Mills				
	Weight:	Code No.	Weight:	Code No.
	50gms	1105048	250gms	1125048
	75gms	1107548	300gms	1130048
	100gms	1110048	400gms	1140048
	150gms	1115048	500gms	1150048
	200ams	1120048		

36 Wheel Balancing Sticker Weights for Alloy Rims

Material:	Weight:	Code No.
Lead	Per Strip 60gms	1100058
Steel	Per Strip 50gms	1100050
Steel	Per Strip 60gms	1110060

WHEEL ALIGNMENT MACHINE ACCESSORIES











4 5541024





5 550147





5 550197











5 550828





5 550428





1 Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car/Truck / Buses

Rim Size: Bore Size: Weight: Code No. 12" to 25" 15mm, 16mm, 20mm 3.500kg 551024

: For holding sensors of Wheel Alignment Machine. Use

Packing: Two pieces packed in thermocol box and cardboard box to

prevent damage in transit.

Clamp for Measuring Head of Wheel Alignment M/c Four Point with PUSH TYPE Fingers (Claws) - Passenger Car /Truck / Buses

Bore Size: 14mm, 15mm, 16mm, 20mm 10" to 26" 3.500kg 5561024

: For holding sensors of Wheel Alignment Machine. Use

Packing: Two pieces packed in thermocol box and cardboard box to

prevent damage in transit.

3 Clamp for Measuring Head of wheel Alignment M/c Three Point

Tyre Size: Weight: Code No. 10" to 26" 14mm, 16mm, 20mm 5551024 3.500kg

& 24mm

: For holding sensors of Wheel Alignment Machine.

Packing: One piece packed in corrugated box to prevent damage in transit.

Wheel Alignment Clamp (5 PIN)

Bore Size: Weight: Code No. 5541024 15mm 4.400kg

Material: Aluminum Casting with red Powder Coating.

: Used especially for alignment of Mercedes / BMW / Audi.

5 Finger Tool (Claws) for Wheel Clamps

Length:	Dia:	Weight:	Code No.
48mm	12mm	30gms	550127
58mm	12mm	37gms	550147
89mm	12mm	70gms	550197
48mm	14mm	30gms	550227
44mm	10mm	36gms	550218
120mm	14mm	122gms	550828
79mm	12mm	42gms	550428
86mm	14mm	62gms	550628
85mm	14mm	71gms	550728


Material: Made from Stainless Steel & Carbon Steel.

: Set of 4 fingers (claws) suitable for Steel & Alloy rims.





11 1100517



12 1110917




13 1103517



14 1104517



15 1101517



16 1105517

11 Mechanical Turn Table

 Dia (Top Plate):
 Weight:
 Code No.

 355mm
 25.00kg
 1100517

Size : L-450mm, W-450mm, H-50mm

Capacity: 2000kg each.

Material: Made from Cold Roll (CRC) Steel Sheet. 54 Delrin Balls. (Ø12mm) used in Plastic cage.

Use: Used for easy turning of tyre left / right during alignment.

12 Mechanical Turn Table with Rubber Stoppers

 Dia (Top Plate):
 Weight:
 Code No.

 360mm
 17.00kg
 1110917

Size : L-470mm, W-500mm, H-45mm

Capacity: 2500kg each.

Material: Special Steel. EN Coating. 48 Delrin Balls (Ø12mm) used in Plastic

cage.

Use: Used for easy turning of tyre left / right during alignment.

can also fit in the scissor lift.

13 Mechanical Turn Table (Low Height)

 Dia (Top Plate):
 Weight:
 Code No.

 360mm
 13.00kg
 1103517

Size : L-430mm, W-430mm, H-20mm

Capacity: 5500kg

Material: Made from Cold Roll (CRC) Steel Sheet. 48 Delrin Balls. (Ø12mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /

Buses

14 Mechanical Turn Table (LCV)

 Dia (Top Plate):
 Weight:
 Code No.

 415mm
 28.00kg
 1104517

Size : L-480mm, W-480mm, H-50mm

Capacity: 4500kg each

Material: Made from Cold Roll (CRC) Steel Sheet. 68 Delrin Balls. (Ø14.3mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /

Buses.

15 Mechanical Turn Table for Truck/ Buses

 Dia (Top Plate):
 Weight:
 Code No.

 650mm
 49.00kg
 1101517

Size: L-650mm, W-650mm, H-50mm Capacity: 5000kg each having scale of ± 0°- 20°

Material: Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. (Ø12mm)

used in Steel cage.

Use: Used for easy turning of tyre left / right during alignment of Truck /

Buses

16 Mechanical Turn Table for Heavy Duty

Dia (Top Plate):Weight:Code No.650mm100kgs1105517

Size : L-750mm, W-750mm, H-88mm Capacity: 10000kg each having scale of \pm 0°- 90°

Material: Made from Cold Roll (CRC) Steel Sheet. 204 Delrin Balls. (Ø18mm)

used in Steel cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /

Buses.









8 1100817



9 1101017

6 Mechanical Turn Table

 Dia (Top Plate):
 Weight:
 Code No.

 275mm
 9.250 kg
 1100017

Size : L -320mm, W- 400mm, H-50mm ± 1mm

Capacity: 1000kg each.

Material: Made from heavy duty Steel Sheet. Black Powder Coated to prevent rusting. 24 Steel Balls (Ø15mm) used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the

Passenger Car.

Mechanical Turn Table with Scale

 Dia (Top Plate):
 Weight:
 Code No.

 310mm
 9.750kg
 1100117

Size: L-380mm, W-350mm, H-45mm Capacity: 1000kg each having scale of ± 0°-60°

Material: Made from heavy duty Steel Sheet. 24 Steel Balls (Ø15mm) used

in Plastic cage.

Use: Used for easy turning of tyre left / right during alignment of the

Passenger Car.

8 Mechanical Turn Table with Scale

Use

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 12.440kg
 1100817

Size : L-370mm, W-370mm, H-50mm Capacity: 1500kg each having scale of ± 0°-60°

Material: Made from heavy duty Steel Sheet. Electro Less Nickel Plating to prevent rusting. 36 Steel Balls (Ø12mm) used in Plastic cage.

 : Used for easy turning of tyre left / right during alignment of the Passenger Car.

9 Mechanical Turn Table for Passenger Car with Scale, Ramp & Centre Line

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 25.00kg
 1101017

Size : L-370mm, W- 695mm, H-55mm Capacity: 1500kg each having scale of \pm 0°- 60°

Material: Special Steel. Electro Less Nickel Plating. 36 Steel Balls (Ø12mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car. Ramp is made on Turn Table 1100817 and makes

it easy for vehicle movement.

10 Aluminum Turn Table with Scale & Rubber Stoppers (Light Weight)

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 6.700kg
 1101317

Size : L-395mm, W-395mm, H-50mm Capacity: 1500kg each having scale of ± 0°- 60°

Material: Made from special grade of Aluminum. 88 Delrin Balls (Ø10mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of the Passenger Car.

Rubber Stoppers Only (For Turn Table 1101317)

 Qty:
 Weight:
 Code No.

 Set of 2pcs
 153gms per pc.
 1101317RS

Size: L-322mm, W-55mm, H-16mm













17 Mechanical Turn Table (Heavy Duty)

 Dia (Top Plate):
 Weight:
 Code No.

 350mm
 27.400kg
 1100217

Size : L-350mm, W-400mm, H-50mm

Capacity: 2500kg each.

Material: Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Steel cage.

Jse : Used for easy turning of tyre left / right during alignment of Light

Commercial Vehicles.

18 Mechanical Turn Table with Rubber Stoppers

 Dia (Top Plate):
 Weight:
 Code No.

 360mm
 15.250kg
 1100917

Size : L-400mm, W-470mm, H-50mm

Capacity: 1500kg each.

Material: Special Steel. Zinc Plating. 48 Steel Balls (Ø12mm) used in Plastic

cage.

Use: Used with 3D Wheel Alignment Machines for easy turning of tyre

left / right.

Rubber Stoppers Only (For Turn Table 1100917)

 Qty:
 Weight:
 Code No.

 Set of 2pcs
 2.920kg per pc.
 1100917RS

Size : L-540mm, W-90mm, H-50mm

19 Mechanical Turn Table for Truck / Buses (Light Weight)

 Dia:
 Weight:
 Code No.

 400mm
 6.750kg
 1101417

Thickness: 19mm Capacity: 6000kg each.

Material: Made from special grade of Aluminum. Powder Coating

220 Steel Balls. (Ø10mm).

Use: Used for easy turning of tyre left / right during alignment of Light

Commercial Vehicles.

20 Mechanical Turn Table for Truck / Buses with Scale

 Dia (Top Plate):
 Weight:
 Code No.

 480mm
 45.000kg
 1100317

Size : L-480mm, W-480mm, H-74mm Capacity: 7000kg each having scale of $\pm~0^{\circ}$ - 60°

Material: Made from Cold Roll (CRC) Steel Sheet. 120 Delrin Balls. (Ø18mm)

used in Plastic cage.

Use : Used for easy turning of tyre left / right during alignment of Truck /

Buses.

21 Mechanical Turn Table for Truck / Buses with Scale, Ramp & Centre Line

 Dia (Top Plate):
 Weight:
 Code No.

 480mm
 67.00kg
 1101117

Size : L-480mm, W-881mm, H-79mm Capacity: 7000kg each having scale of $\pm 0^{\circ}$ - 60°

Material: Special Steel. Delrin Balls (Ø18mm) used in Plastic cage.

: Used for easy turning of tyre left / right during alignment of Truck /

Buses. Ramp is made on Turn Table 1100317 and makes it easy

for vehicle movement.








22 1105417 WHEEL ALIGNMENT TURN TABLE REBUILD KIT (STANDARD)



23 1130017







Wheel Alignment Turn Table Rebuild Kit (Standard)

 Weight:
 Code No.

 455gms
 1105417

The Kit contains the following items:
9/16" (14mm) Derlin Balls
Stainless Steel Lock Pins
Retainer Rings with Spring assemblies
Steel Set Screws
Steel Top Screws
2 No.

Material: The Retainer Rings are made from Nylon Plastic.

Note: Retainer Ring Inner Dia: 5 7/8", Outer Dia: 7 3/4".

23 Rear Wheel Alignment Slip Plate

 Top Plate Length:
 Weight:
 Code No.

 300mm
 9.000kg
 1130017

Size : L-350mm, W-340mm, H- 50mm

Capacity: 1000kg each.

Material: Sheet Metal.

Use: Used for aligning the rear wheel of Passenger Car.

24 Rear Wheel Alignment Slip Plate

 Top Plate Length:
 Weight:
 Code No.

 1520mm
 100.000kg
 1168017

Size : L-1640mm, W-670mm, H- 50mm

Capacity: 2500kg each.

Material: Sheet Metal.

Use: Used for aligning the rear wheel of Passenger Car.

25 Brake Pedal Depressor

 Length:
 Weight:
 Code No.

 755mm
 900gms
 111184

 740mm
 915gms
 111384

Use : Depresses brake while doing alignment. All metal parts are electroplated.

26 Steering Wheel Holder

 Length:
 Weight:
 Code No.

 430mm
 1.210kg
 112184

 315mm
 675gms
 112284

Use : It securely holds the steering wheel in position when setting toe angle. Covered with soft Plastic to prevent damage to the steering wheel.

27 Steering Wheel Holder with Thumb Lock Release

 Length:
 Weight:
 Code No.

 300mm
 695gms
 112384


Use : It securely holds the steering wheel in position when setting toe angle. Works with a trigger controlled mechanism. Ergonomically designed with a thumb lock release.


Note : The Steering Wheel Holder 112384 is suitable for Car/Truck/Buses.





27 112384
























1 Rubber Pad for Passenger Car Lift

Size:	Weight:	Code No
L-160mm, B-120mm, H-20mm	530gms	550204
L-160mm, B-120mm, H-40mm	1.080kg	550004
L-160mm, B-120mm, H-60mm	1.450kg	550604
L-160mm, B-120mm, H-80mm	1.940kg	550804
L-150mm, B-100mm, H-50mm	785gms	553104
L-150mm, B-100mm, H-100mm	1.600kg	553204

Use : Used at the time of lift of vehicle for Wheel Alignment and repairs.

Durable & long lasting.

2 Rubber Wheel Chock

Size:	Weight:	Code No.
L-220mm, B-95mm, H-90mm	1.180kg	553004
L-265mm, B-120mm, H-175mm	3.650kg	554504
L-230mm, B-180mm, H-135mm	4.000kg	551904
L-245mm, B-260mm, H-140mm	6.250kg	558304

Material: Rubber.

Use: Prevents vehicles from rolling down during maintenance or storage.

3 Metal Wheel Chock (Small) Passenger Car

Tyre Size Radius:	Capacity:	Weight:	Code No.
R 360 (Max)	2000kg	1.800kg	557804

Metal Wheel Chock (Medium) LCV

 Tyre Size Radius:
 Capacity:
 Weight:
 Code No.

 R 460 (Max)
 5000kg
 3.500kg
 557904

Metal Wheel Chock (Large) Heavy Duty


 Tyre Size Radius:
 Capacity:
 Weight:
 Code No.

 R 560 (Max)
 7000kg
 5.000kg
 558104

Material: MS.

Use: Prevents vehicles from rolling down during maintenance or storage.






2 551904


2 558304












5 554404

5 555904





5 554304

5 557504PU





6 554204

6 554004





6 556004







6 557004TH

6 552204

4 Rubber Door Guard

 Size:
 Weight:
 Code No.

 L-360mm, B-35mm, H-35mm
 550gms
 558404

Use: Door Guard is used for the safety of passenger car door during lifting.

5 Rubber Pad for Passenger Car Lifts

6 Round Rubber Pad for Passenger Car Lifts

Dia:	Thickness:	Weight:	Code No.
123 mm	21mm	155gms	554204
127mm	25mm	230gms	554004
127mm	28mm	240gms	555004
140mm	16mm	320gms	556004
120mm(with steel plate)	16mm	290gms	552104MET
138mm	28mm	300gms	557004
138mm	28mm	300gms	557004TH
139mm	28mm	340gms	552204
144mm	20mm	265gms	552304

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs. Durable and long lasting.



6 555004



6 557004







7 552404



7 552504



7 552604





7 552604MET



7 552704



7 552704MET





7 552804



7 552904



7 554104MET



7 554604



7 554704



7 554904MET



7 555104



7 555204

7 Round Rubber Pad for Passenger Car Lifts

	U		
Dia:	Thickness:	Weight:	Code No.
145mm	26mm	335gms	552404
120mm	27mm	220gms	552504
123mm	25mm	165gms	552604
123mm(with Steel plate)	25mm	300gms	552604MET
100mm	21mm	105gms	552704
100mm(with Steel plate)	21mm	170gms	552704MET
148mm	25mm	260gms	552804
123mm	23mm	200gms	552904
123mm(with Steel plate)	23mm	390gms	554104MET
120mm	32mm	320gms	554604
130mm	24mm	220gms	554704
125mm(with Steel plate)	26mm	347gms	554904MET
120mm	19mm	185gms	555104
100mm	21mm	110gms	555204
145mm	25mm	290gms	555304
123mm	22mm	145gms	555404
123mm	26mm	180gms	555504
140mm	27mm	300gms	555604
160mm	30mm	395gms	555704
120mm	19mm	150gms	555804
138mm	20mm	250gms	557604

Use : Used at the time of lifting of vehicle for Wheel Alignment and repairs. Durable and long lasting.



7 555304



7 555404



7 555504



7 555604



7 555704




7 555804



7 557604






1 552004









2 556704





1 Rubber Pad for Passenger Car Jack (Square)

Size:	weight:	Code No.
L-109mm, B-109mm, H-17mm	155gms	552004

2 Rubber Pad for Passenger Car Jack (Round)

Thickness:	Weight:	Code No.
47mm	390gms	556504
46mm	275gms	556604
39mm	125gms	556704
38mm	320gms	556804
53mm	310gms	556904
42mm	130gms	557104
23mm	75gms	557204
14mm	30gms	557304
15mm	20gms	557404
47mm	120gms	558204
	770gms	558204KIT
	47mm 46mm 39mm 38mm 53mm 42mm 23mm 14mm 15mm	47mm 390gms 46mm 275gms 39mm 125gms 38mm 320gms 53mm 310gms 42mm 130gms 23mm 75gms 14mm 30gms 15mm 20gms 47mm 120gms


Note: Floor jack pad 558204 is suitable for Tesla models 3,S,X,Y



2 557104







15mm

14mm

2 557404



2 558204 2 558204KIT



















7 220045

1 Wheel Nut Cap / Cover Removal Tool

 Weight:
 Code No.

 15gms
 220047

Material: Special Plastic.

: It just slides over the cap. Snaps into position and when pulled, it extracts and retains the plastic cap in the tool. Fits all Peugeot

Citroen models with removable nut cover.

2 Lug Nut Cap Puller

 Size:
 Weight:
 Code No.

 260mm long
 395gms
 220057

Material : Special Steel.

Finish : Electro Plating.

: A specialized tool to remove 32mm & 33mm Lug Nut Covers /

Caps from Truck wheels.

3 Chrome Lug Nut Cover Puller (Heavy Duty)

Size:Weight:Code No.285mm long500gms220067

Material: Special Steel.

Finish: Black colour.

Use : A specialized tool to remove 32mm & 33mm Lug Nut Covers /

Caps from Truck wheels.

4 Double Ended Wheel Wrench for Trucks

Length:	Size:	Weight:	Code No.
400mm	24 X 27	2.200kg	2224276
400mm	27 X 32	2.200kg	2227326
400mm	30 X 32	2.310kg	2230326
400mm	24 X 33	2.250kg	2224336
400mm	27 X 30	2.200kg	2227306
400mm	27 X 33	2.200kg	2227336
400mm	30 X 33	2.300kg	2230336
400mm	21 X 41	2.300kg	2221416

Material: Chrome Vanadium / Carbon Steel.

Finish : Bright Nickel Chrome Plating / Black Powder Coating.

Use : Loosening & tightening of Truck wheel nuts.

5 Tommy Bar

 Dia:
 Size:
 Weight:
 Code No.

 20mm
 500mm long
 1.250 kg
 2200226

Material: Forged Chrome Vanadium Steel.

Finish : Black colour.

Use: Truck wrench handle heat-treated for strength and durability.

Suitable for all Salry Truck Wrenches.

6 Four Way Wheel Nut Wrench for Trucks

 Length:
 Size:
 Weight:
 Code No.

 570mm
 24X27X32X3/4" square
 3.000kg
 2200014

Material: Forged Chrome Vanadium / Carbon Steel.

Finish: Bright Nickel Chrome Plating.

7 Four Way Wheel Nut Wrench for Passenger Cars

Length:	Size:	Weight:	Code No.
400mm	17X19X21X22	1.415kg	220025
400mm	17X19X22X1/2" square	1.420kg	220035
400mm	17X19X21X1/2" square	1.355kg	220045


Material: Forged Chrome Vanadium Steel / Carbon Steel with welded

centers to achieve the desired strength.

Finish : Bright Nickel Chrome Plating / Black Powder Coating.

Use : Loosening & tightening of Passenger Car wheel nuts.





8 Lever for Bicycles

 Size:
 Weight:
 Code No.

 110mm (4")
 25gms
 220714

 155mm (4.5")
 15gms
 220724

Material: Nylon Plastic.

9 Tyre Lever

Type:	Size:	Weight:	Code No
	200mm (8")	240gms	222001
Run Flat	215mm (8.5")	290gms	222151
	300mm (12")	385gms	223001
	400mm (16")	630gms	224001
	400mm (16")	375gms	220404

Material: Forged Chrome Vanadium Steel, hardened & tempered.
 Finish: Sand Blasted surface with Nickel Chrome Plating.
 Use: Used for Motorcycle / Scooter tyre service.

10 Tyre Lever

Type:	Size:	Weight:	Code No
With Boot	500mm (20")	800gms	220001
	500mm (20")	785gms	220002
	500mm (20")	815gms	220002S
Thin Cross Sectional	500mm (20")	640gms	225001
thickness of 7mm		_	
	500mm (20")	800gms	225101
Run Flat	500mm (20")	820gms	225201

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.

Use: Used for Passenger Car tyre service.

11 Silk Lever

Use

 Size:
 Weight:
 Code No.

 500mm (20")
 765gms
 225301

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish : Sand Blasted surface with Nickel Chrome Plating.

: Smooth, heavy duty & sturdy. One side is screwed with two strong protective Nylon 6 plastic inserts and one insert on other side of the lever.

No separate boot is required for shifting position to avoid direct contact between rim and lever.

Good for both steel and Aluminum rims.

12 Tyre Lever with screwed back protection.

 Size:
 Weight:
 Code No.

 500mm (20")
 800gms
 225401

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.


: Smooth, heavy duty & sturdy. One side is completely screwed with strong Nylon 6 plastic protection.

Good for both steel and Aluminum rims.

No separate boot is required for shifting position to avoid direct

contact between rim and lever.





13 Tyre Lever

 Size:
 Weight:
 Code No.

 600mm (24")
 930gms
 220008

Material: Forged Chrome Vanadium Steel, hardened & tempered. **Finish**: Sand Blasted surface with Nickel Chrome Plating.

14 Run Flat Lever

 Size:
 Weight:
 Code No.

 600mm (24")
 865gms
 226001

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.

15 Truck Tyre Lever with Crank End

 Size:
 Weight:
 Code No.

 610mm (24")
 1.360kg
 220003

Material: Forged Chrome Vanadium Steel, hardened & tempered.

Finish: Sand Blasted surface with Nickel Chrome Plating.

Use : Suitable for LCV, Trucks and large wheels, this tyre lever is extra

heavy duty with crank end.

16 Lever for Removal of Locking Rings

 Size:
 Weight:
 Code No.

 470mm (18")
 720gms
 2200012

Material: Forged Chrome Vanadium Steel, hardened & tempered.
 Finish: Sand Blasted surface with Nickel Chrome Plating.
 Use: To remove locking rings of tube type tyres.

17 Rim Straightener Lever

 Size:
 Weight:
 Code No.

 390mm (15")
 500gms
 220274

Material: Special Steel.

Finish: Sand Blasted surface with Nickel Chrome Plating.

Use: Used for repairing of deformation on the rim flange.

Suitable for Steel rims.

8 Tubeless Truck Tyre Lever with Hook

 Size:
 Weight:
 Code No.

 675mm (26.6")
 1.550kg
 220284

Material: Forged Chrome Vanadium Steel.

Finish : Sand Blasted surface with Nickel Chrome Plating.

Use: Used for mounting on wide base rims.

19 Swan Neck Leverage Bar

 Size:
 Weight:
 Code No.

 760mm long
 2.400kg
 220094

Material: Forged CV Steel, hardened & tempered. Black colour.

Use : Used to remove frozen or rusted beads from all types of Truck /

Farm / OTR rims.

20 Lever for Truck Lock Rings

 Size:
 Weight:
 Code No.

 900mm long
 1.900kg
 220264

Use: Used for multi-piece wheels especially hub type.

21 Impact Bead Breaker

 Size:
 Weight:
 Code No.

 1270mm-2030mm long
 10.500kg
 220134

Material: Steel Pipe. Black colour.

 : Used to easily loosen beads of the tyre with bead-breaking foot and ram bar but never cuts the bead of the tyre.

22 Trilex Lever for Tubeless Truck/ Bus Tyre

 Size:
 Weight:
 Code No.

 1045mm long
 3.200kg
 221314

Material: CV Steel and Steel Pipe.

Use: A double mounting lever for 3 piece rims.





23 Wheel Flange Loosener

 Dia:
 Size:
 Weight:
 Code No.

 32mm
 300mm long
 1.800kg
 220204

Material: Forged CV Steel, hardened & tempered. Black colour.

Use : Used for loosening rusted Truck and Bus Beads. Speeds up Truck tyre repair work and saves labour and time.

24 Wheel Flange Loosener with Plastic Hand Protection

 Dia:
 Colour:
 Size:
 Weight:
 Code No.

 32mm
 Red
 330mmx93mm
 1.850kg
 2202045

 32mm
 Blue
 330mmx93mm
 1.850kg
 2202045S

 $\textbf{Material:} \ \mathsf{Forged} \ \mathsf{CV} \ \mathsf{Steel}, \ \mathsf{hardened} \ \& \ \mathsf{tempered}.$

Finish: Sand Blasted surface with Nickel Chrome Plating.

Use: Used to loosen rusted Truck and Bus Beads. Speeds up Truck

tyre repair work. Easy to handle.

25 Special Lever for Motorcycle Tyres with Stopper

 Size:
 Weight:
 Code No.

 390mm long
 540gms
 220154

Material: Forged CV Steel, hardened & tempered. Black colour.

26 Lever for Tubeless Tyres for Passenger Cars

Size: Weight: Code No. 390mm long 565gms 220164

Material: Forged CV Steel, hardened & tempered. Black colour.

27 Lever for Tube and Tubeless Truck Tyres Mounted on Flat Rims

 Size:
 Weight:
 Code No.

 420mm long
 810gms
 220214

Material: Forged CV Steel, hardened & tempered. Black colour.

28 Lever for Tube and Tubeless Truck Tyres - mounted on Flat Rims

 Size:
 Weight:
 Code No.

 460mm long
 1.050kg
 220194

Material: Forged CV Steel, hardened & tempered. Black colour.

29 Lever for small size Tubeless Truck & Tractor Tyres - mounted on

Drop-Centre Rims Size: Weight: Code No.

530mm long 1.050kg **220174**

Material: Forged CV Steel, hardened & tempered. Black colour.

30 Lever for big size Tubeless Truck & Tractor Tyres - mounted on

Drop-Centre Rims Size: Weight: Code No. 760mm long 1.630kg 220184

Material: Forged CV Steel, hardened & tempered. Black colour.

31 Lever for Tubeless Truck Tyre - mounted on 15° drop-centre rims

 Size:
 Weight:
 Code No.

 800mm long
 1.950kg
 220004

Material: Forged CV Steel, hardened & tempered. Black colour.

32 Lever for Lug Base and Earthmover Tyres - mounted on Drop-Centre Rims

 Size:
 Weight:
 Code No.

 940mm long
 2.180kg
 220244

Material: Forged CV Steel, hardened & tempered. Black colour.

33 Lever for Earthmover Tyres

 Size:
 Weight:
 Code No.

 965mm long
 2.780kg
 220234

Material: Forged CV Steel, hardened & tempered. Black colour.

34 Lever for Truck, Tractor / OTR Tyres

 Size:
 Weight:
 Code No.

 1400mm long
 11.300kg
 220224

Material: Forged CV Steel, hardened & tempered. Black colour.





35 Demounting Lever for Tubeless Truck/ Bus Tyre Size: Weight: Code No. 220314 1780mm long 6.500kg Material: Casting and Steel Pipe. 36 Mounting Lever for Tubeless Truck/ Bus Tyre Weight: Code No. 220414 1050mm long 2.600kg Material: Casting and Steel Pipe. Mounting Lever for Tubeless Truck/ Bus Tyre Size: Weight: Code No. 1040mm long 220514 2.950kg Material: Casting and Steel Pipe. Black Powder Coating. : This mounting lever is ideal for Aluminum rims. 38 Demounting Lever for Tubeless Truck/ Bus Tyre Size: Weight: Code No. 1610mm long 10.100kg 220614 Material: Casting and Steel Pipe. Black Powder Coating. : This demounting lever is ideal for Aluminum rims. Demounting Lever for 17.5" Tubeless Truck/ Bus Tyre Size: Weight: Code No. 1500mm long 6.500kg 221414 Material: Special Steel Casting. Powder Coating. : Specialized lever for demounting 17.5" Truck / Bus tyre. 40 Heavy Duty Mounting Lever for Tubeless Truck/Bus Tyre Size: Weight: Code No. 220814 1210mm long 3.400kg Use : Used for a variety of tyre changing applications. 41 Rim Lock Ring Removal Tool Weight: Code No. 1050mm long 3.500kg 220914 Material: Casting and Steel Pipe. Powder Coating. : Specialized wrench to remove single lock rings of Truck / Bus tyre rims after bead breaking. 42 Rim Lock Ring Fitting Tool Size: Weight: Code No. 1230mm long 221014 2.950kg Material: Forged CV Steel, hardened & tempered. Use : Specialized wrench to fit rings of Truck / Bus tyre rims. Used in pair. Wheel Cover Puller/Replacer Size: Weight: Code No. 350mm long 610gms 220011 452mm long 820gms 220211 Material: Steel Rod. : Removes wheel covers quickly and easily without damaging or scratching them. Rubber head prevents damage to the hub cap and is replaceable. **Rubber Mallet** Size: Weight: Code No. 420mm long 480gms 220420 220430 300mm long 1.200kg : Rubber Head Mallet prevents damage to the rim surface. **Pump Ring Rigid for Tubeless Truck Tyre** Size: Weight: Code No. 22.5" 11.000kg 224222 Rubber Ring for Pump Ring Rigid Weight: Code No. 3.500kg 224222R 46 Pump Ring Flexible for LCV and HCV Tubeless Tyre **Sectional Dia:** Weight: Code No. 25mm 15.5" 500gms 224215 224217 25mm 17.5' 750gms 25mm 22.5" to 24.5" 1.000kg 224224

Use

: Used for sealing the tyre beads of the rims.

TYRE SERVICE TOOLS





47 Tyre Tread Depth Gauge (Plastic)

 Size:
 Weight:
 Code No.

 0 - 30mm
 10gms
 2201017

 0 - 30mm
 30gms
 2200117

48 Tyre Tread Depth Gauge (Stainless Steel)

 For Passenger Car tyre
 0 - 50mm
 30gms
 2200217

 For Truck tyre
 0 - 90mm
 85gms
 2200517

49 OTR Tread Depth Gauge (Aluminum)

 Size:
 Weight:
 Code No.

 0 -150mm /
 170gms
 2200317

0-192 (32 NDS)

Use : For measurement of Earthmover tyre tread depth. Supplied with case. Easy readability due to Glass lens.

50 OTR Tread Depth Gauge (Acrylic Plastic)

 Size:
 Weight:
 Code No.

 0-160mm / 0-192 (32 NDS)
 55gms
 2200417

Use: For measurement of Earthmover tyre tread depth. Supplied with case.

51 Dial Type Tread Depth Gauge

 Size:
 Weight:
 Code No.

 0-110mm
 80gms
 2200717

52 D.O. T. Removal Tool

Weight: Code No. 110gms 550005

Majahtı

Material: Blades are made from Special Steel.

Use: The tool helps to remove the D.O.T number on tires being retreaded.

53 WHEEL PROTECT Loose Wheel Nut Indicator

Size:	Code No.	Size:	weight:	Code No.
17mm	224417	30mm	2gms	224430
19mm	224419	32mm	2gms	224432
21mm	224421	33mm	2gms	224433
24mm	224424	36mm	2gms	224436
26mm	224426	38mm	2gms	224438
27mm	224427	40mm	2gms	224440
		41mm	2gms	224441

Material: Special Durable Plastic.

Colour : Fluorescent Yellow, Red, Pink, Green, Orange.

Note : Customized colour can be provided for large orders.

54 Dust Cap & Loose Wheel Nut Indicator

Size:	Weight:	Code No.
32mm	17gms	224232
33mm	17gms	224233
32mm	17gms	224332
33mm	17gms	224333
	32mm 33mm 32mm	32mm 17gms 33mm 17gms 32mm 17gms

Material : Special Durable Plastic.
Colour : Green, Red, Yellow, Pink.

Note : Customized colour can be provided for large orders.

55 CHROME PROTECT Dust Cap Loose Wheel Nut Indicator (Fitted with Soft plastic insert)

Type:	Size:	Weight:	Code No.
Upper arrow	19mm	20gms	224219CH
Upper arrow	21mm	20gms	224221CH
Upper arrow	32mm	60gms	224232CH
Upper arrow	33mm	60gms	224233CH
Bottom arrow	32mm	45gms	224332CH
Bottom arrow	33mm	45gms	224333CH

Material: Made from heavy duty & high quality special durable plastic.

Finish : Chrome Plated.

: Soft plastic insert fitted inside provides better grip with lug nut and makes them easy to put on and take off. Prolongs the service life of studs & nuts through protection from corrosion, weathering & damage. Complements the look of vehicles with

chrome wheels.





56 220303 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

56 Rim Lock Ring Fitting/ Removal Tool Kit (For Tube-Type Tyres)

	(With Bag)	Weight: 12.870kg 17.470kg	Code No. 220303 220303B
The Kit contains the follow	ing items:		
Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	4.600kg	220302
 Ring Removal Tool 	1 No.	3.500kg	220914
 Ring Fitting Tool 	2 No.	2.950kg	221014
Tyre Lever 600mm	1 No.	930gms	220008
Tyre Lever with Crank End	1 No.	1.360kg	220003
Valve Core Screw Driver	1 No.	25gms	330002

Use : Mounting/demounting tube-type tyres (single and double lock ring) in less than 2 mins. Complete demo on "Sarv" Youtube channel.



57 Tubeless Tyre Mount/Demount Standard Tool Kit



Weight: Code No. 220403 17.930kg (With Bag) 22.530kg 220403B The Kit contains the following items: Code No. Weight: 220302 Bag with Wheels (optional) 4.600kg 1 No. 1.950kg Tyre Lever 2 No. 220004 1.630kg Tyre Lever 1 No. 220184 10.500kg Impact Bead Breaker 1 No. 220134 Bead Holding Tool 1 No. 350gms 220400 Valve Core Screw Driver 1 No. 25gms 330002 Sarv Paste (Economy) 1 No. 1.000kg 2200130 150gms Brush for Truck Tyre 1 No. 220415 Duster 1 No. 15gms D0015

Use : Mounts / Demounts all types of tubeless tyres 17.5" to 24.5".






58 Tubeless Tyre Mount/Demount Regular Tool Kit Weight: Code No. 21.560kg 220503 The Kit contains the following items: Tool: Code No. Qty: Weight: 2.600kg 220414 Mounting lever 1 No. 6.500kg Demounting Lever 1 No. 220314 Impact Bead Breaker 1 No. 10.500kg 220134 Bead Holding Tool 770gms 1 No. 220500 Valve Core Screw Driver 1 No. 25gms 330002 1.000kg Sarv Paste (Economy) 1 No. 2200130 Brush for Truck Tyre 1 No. 150gms 220415 Duster 1 No. 15gms D0015

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds. Works on standard and super single duplex tyres.







59 Tubeless Tyre Mount/Demount Regular Tool Kit Weight: Code No. 9.870kg 221503 The Kit contains the following items: Tool: Weight: Code No. Qty: 2.600kg 220414 Mounting Lever 1 No. Demounting Lever 1 No. 6.500kg 220314 Bead Holding Tool 1 No. 770gms 220500



60 Tubeless Tyre Mount/Demount Smart Tool Kit

	(With Bag)	30.470kg	220603B
The Kit contains the follow	ving items:		
Tool:	Qty:	Weight:	Code No.
Bag with Wheels (optional)	1 No.	4.600kg	220412
 Mounting Lever 	1 No.	2.950kg	220514
 Demounting Lever 	1 No.	10.100kg	220614
 Impact Bead Breaker 	1 No.	10.500kg	220134
 Bead Holding Tool 	1 No.	770gms	220500
 Valve Core Screw Driver 	1 No.	25gms	330002
 Sarv Paste (Economy) 	1 No.	1.000kg	2200130
 Brush for Truck Tyre 	1 No.	150gms	220415
Duster	1 No.	15gms	D0015

Weight:

25.870kg

Code No. 220603

Use : Mounts all type of tubeless tyres 20" to 24.5". Demounts tyre in 8 seconds and remounts in 20 seconds.





61 Tubeless Tyre Mount/Demount Tool Kit for 17.5" Tyre

(With Bag)	Weight: 22.200kg 26.600kg	Code No. 220905 220905B

The Kit contains the following items:

The Kit Contains the following items.				
Tool:	Qty:	Weight:	Code No.	
Bag with Wheels (optional)	1 No.	4.600kg	220412	
 Mounting Lever 	1 No.	3.400kg	220814	
 Demounting Lever 	1 No.	6.500kg	221414	
Impact Bead Breaker	1 No.	10.500kg	220134	
 Bead Holding Tool 	1 No.	250gms	220513	
Valve Core Screw Driver	1 No.	25gms	330002	
 Sarv Paste (Economy) 	1 No.	1.000kg	2200130	
Brush for Truck Tyre	1 No.	150gms	220415	
Duster	1 No.	15gms	D0015	

Use : Specifically designed to mount/demount 17.5" tyres without damaging the tyre bead and rim.









226018











ount 1001 (Steel) for	Automatic Tyre Cha	ingers for
Bore Dia:	Weight:	Code No.
28mm	460gms	220118
28mm	460gms	220118F
28mm	370gms	226018
28mm	435gms	224518
	Bore Dia: 28mm 28mm 28mm	28mm 460gms 28mm 460gms 28mm 370gms

Material: Made out of Special Spring Steel. Nickel Plating. : For removing tyres on all types of steel rims.

2 Tyre Mount/Demount Tool (Steel) for Automatic Tyre Changers for Passenger Cars

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
	28mm	690gms	220218
24mm	31mm	690gms	220218TB
	28mm	550gms	222418
	29mm	600gms	220518
	29mm	615gms	220518P
29mm	33mm	580gms	220618
29mm	33mm	620gms	220618N
	28mm	600gms	220718
	28mm	600gms	226518
	28mm	600gms	222518
	28mm	600gms	222518J
	28mm	600gms	220818
	30mm	600gms	226318
	28mm	670gms	220918

Material: Made out of Special Spring Steel. Nickel Plating.

Tyre Mount/Demount Tool (Steel) with Rubber Ring for Automatic Tyre **Changers for Passenger Cars**

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
	28mm	685gms	220918R
28mm	30mm	617gms	225018R
28mm	30mm	617gms	225118R

Material: Made out of Special Spring Steel. Nickel Plating.

Rubber Ring for Tyre Mount/Demount Tool (Steel) with Collar

Size: Weight: Code No. **RUBRING** 35mm 15gms

: RUBRING fits on Mount / Demount tools 220918, 220918R, 225018R, 225118R.























4 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Dole Dia.	weight.	Code No.
28mm	175gms	220318
	155gms	221618
	155gms	221618Y
28mm	225gms	226418
28mm	195gms	222218
28mm	216gms	220418
	200gms	221418
Consumable Plastic part	12gms	221418RS
28mm	195gms	222118
	195gms	221818
28mm	215gms	221918

Material: Made from Special Blended Nylon Plastic (Nylon 66).

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

: The Consumable Plastic part 221418RS can be used on the Plastic Mount/Demount tools 221418 and 222118.

5 Wide Tool Head for Lever less Tyre Changers

Weight: Size: Code No. L-138mm 222318 140gms

Material: Made from Special Blended Nylon Plastic (Nylon 66).

6 Tool Head for Lever less Tyre Changers

Weight: Size: Code No. L-170mm 222818 170gms

Material: Made from Special Blended Nylon Plastic (Nylon 66).

: Useful in low profile application.







































7 Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

Bore Dia:	Weight:	Code No
28mm	210gms	225918
	185gms	221718
	185gms	221718Y
29mm	210gms	221518
29/30mm	195gms	222018

Material: Made from Special Blended Nylon Plastic (Nylon 66).

Jse :

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

Tyre Mount/Demount Tool (Plastic) for Automatic Tyre Changers

8	Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
	25mm	30mm	151gms	226718
	25mm	30mm	181gms	228818

Material: Made from Special Blended Nylon Plastic (Nylon 66).

e : Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.

9 Tyre Mount/Demount Tool (Plastic) with Hardware

Tapered Bore Dia:	Bore Dia:	Weight:	Code No.
25mm	30mm	198gms	226718KIT
25mm	30mm	260ams	228818KIT

Material: Made from Special Blended Nylon Plastic (Nylon 66).

Use

: Wearing Mount/Demount Tool Head protects tyre & rim from metal to metal contact damage. Using Plastic Mount/Demount Tool Head is much safer for delicate and expensive wheels yet durable enough to withstand the stress of larger tyres and wheels.















10 228918KIT

10 Quick Change Kit

Weight: Code No. 1.920kg **228918KIT**

The 228918Kit contains the following items:

Tool:Qty:Weight:Code No.• Plastic Head with Quick1 No.1.050kg228918

Change Connector

Connector set
 1 No.
 870gms
 228918C

Use : Quick change kit help interchange the steel and plastic

mount demount heads quickly and easily.



11 224418KIT

 Weight:
 Code No.

 1.865kg
 224418KIT

The Kit contains the following items:

Tool:Qty:Weight:Code No.• Quick Change Adaptor1 No.1.255kg224418• Plastic Head with1 No.610gms224618

Tool Holder

Use : Quick change kit help interchange the steel and plastic mount demount heads quickly and easily.



12 225318KIT

12 Quick Change Tool Holder Kit

 Weight:
 Code No.

 1.647kg
 225318KIT

The Kit contains the following items:

 Tool:
 Qty:
 Weight:
 Code No.

 • Quick Change Adaptor
 1 No.
 1.255kg
 224418

 • Tool Holder
 1 No.
 392gms
 224618TH

Use : These tool holders help interchange the steel and plastic mount demount heads quickly and easily.



13 Combo Tool

 Size:
 Weight:
 Code No.

 480mm
 2.500kg
 220116

Material: Durable Alloy Steel.

Finish : Sand Blasted Nickel Chrome Plated.

: Specially designed to mount/demount tyre on center post tyre

changers for effortlessly and damage free.

Plastic Inserts for Combo Tool

 Size:
 Weight:
 Code No.

 Small
 11gms
 221116

 Big
 21gms
 222116

Material: Nylon 6



Code No.





	Tapered Bore Dia:	Вс
		33
		28
		29
.,/		29
₩.		28
-		28
		28

14 Tyre Mount/Demount Tool (Plastic) with Tool Holder		
Tapered Bore Dia:	Bore Dia:	Weight:
	33mm	350gms

	3311111	Sougins	223010
	28mm	730gms	223418
	29/30mm	750gms	223018
	29mm	700gms	223118
	28mm	870gms	222918
	28mm	685gms	223218
	28mm	530gms	223718
	28mm	556gms	223718FR
25mm	28mm	500gms	226218
	28mm	780gms	225618

Material: Made from Special Blended Nylon Plastic (Nylon 66).

15 225518

14 223018



15 Tool Holder for Plastic Mount/Demount Tools Tapered Bore Dia: Bore Dia: Weight: Code No. 480gms 28mm 221318 547gms 28mm 221318H 29mm 33mm 180gms 222618 275gms 28mm 224718 28mm 287gms 224718F 29/30mm 400gms 225518 28mm 475gms 223918 23mm 28mm 320gms 225818 28mm 715gms 224818

Material: Made out of Special Steel.

: Tool Holders are fitted on various Plastic Mount / Demount Tools Use

as per following code nos.:





Tool Holder: Mount/Demount Tool: 221318 - Fits on 220318, 220418, 222118 221318H - Fits on 220318, 220418, 222118 222618 - Fits on 221618, 221618Y 224718 - Fits on 221718, 221718Y 224718F - Fits on 221718, 221718Y, 225218 - Fits on 224818 221918 - Fits on 225518 221518, 222018 - Fits on 223918 222218, 226418 - Fits on 228818 225818











15 221318

15 221318H

15 222618









15 224718

15 224718F

15 225518













15 225818

15 224818









Colour: Weight: Code No. Black 4gms 221028 White 222038 2gms White 2gms 222138 Black 220528 4gms Yellow 5gms 221238 Black 5gms 220938 Yellow 6gms 224138 Yelow 3gms 221438 Black 3gms 220928 Yellow 3gms 220928Y Yellow 4gms 222438 Silver 7gms SCRM4X6 Yellow 8gms 222538 Grey 9gms 223338 Yellow 2gms 223838 Red 2gms 223838R Yellow 9gms 222338

Material: Made from Special Durable Plastic (Nylon 6).

18	Mounting	Head	Protector

White

White

White

Colour:	Weight:	Code No.
Yellow	20gms	221538
Black	20gms	221638
Black	15gms	220738

1gm

6gms

2gms

223438

223538

223638

Material: Special Plastic.

19 Jaw Protection Insert

Colour:	Weight:	Code No.
Black	3gms	223038
Yellow	3gms	223038Y
Black	4gms	224738
Black	1gms	220428

Material: Special Plastic.

: These inserts snap into place on the sloped surface of the metal tyre changing Jaw assembly. Helps to reduce metal to metal contact between the wheel rim and tyre changing Jaw.







19 223038Y



19 220428



19 224738












20 2201921

20 2201821



1 Slide Jaw Protector				
Colour:	Size:	Weight:	Code No.	
Yellow	L-278mm	60gms	2201421	
Black	L -146mm	12ams	222548	

Material: Engineering Plastic.







22 220448



22 220448GR



22 220448WH



22 222248



22 220648



22 220848







22 222348









22 221148










24 221648



Weight:	Code No.	Weight:	Code No.
82gms	220448	72gms	220948
82gms	220448GR	87gms	222348
82gms	220448WH	100gms	220348
60gms	222248	100gms	220348Y
88gms	220648	151gms	221148
94gms	220848	225gms	220548

Material: Engineering Plastic.

Use : Prevents metal to metal contact when bead loosening low profile tyres on expensive alloy wheels thereby preventing damage to

Rubber Tulip Pad

 Colour:
 Weight:
 Code No.

 Black
 155gms
 221548

 Use
 : Mounted at the end of the arms that clamps the rim and prevent

: Mounted at the end of the arms that clamps the rim and preven damage to the rim while providing grip to rotate the rim.

24 External Rubber Clamping Jaw

Colour: Weight: Code No.

Black 536gms 221648

Use : They work with machine which have hollow center of the tulip

arms. If there is no hole on the top of the arms then these are not right parts to use.

25 Clamping Jaws for Passenger Car Tyre Changers

 Weight:
 Code No.

 115gms
 2200021

 180gms
 2201621

Material: Made from Special Steel, hardened and tempered for longer life and durability.

Use : Four Jaws are required per machine for keeping the Jaw alignment

26 Clamping Jaws for Passenger Car Tyre Changers

 Weight:
 Code No.

 230gms
 2200421

 230gms
 2200521

 390gms
 2202621

Material: Special Carbon Steel, hardened and tempered for longer life and durability.

Use : Four Jaws are required per machine for keeping the Jaw alignment even.



25 2200021



25 2201621



26 2200421



26 2200521



26 2202621





27 Support Plate Cover

Colour: Dia: Weight: Code No. Black 240mm 149gms 221748 Black 233mm 222048 210gms

Material: Rubber. Use

: It protects the rim while servicing the reverse wheels. Should be removed if not servicing the reverse wheels.

Feeler Pin

Colour: Size: Weight: Code No. 150mm long Grey 20gms 221848

Material: Special Plastic.

29 Cone Cover

Colour: Dia: Weight: Code No. Black 45-130mm 165gms 221448 Yellow 40-125mm 46gms 221348 Yellow 28-120mm 60gms 222148

Material: Nvlon.

: Protective Plastic cover that snaps securely over the wheel hold down cone to prevent damage to the wheel.

In-Between Cone

Height: Dia: Weight: Code No. 64mm 95mm 150gms 222448 355gms 224638 90mm 140mm

Material: PA6 glass filled.

: The Cone slides on the removable spindle shaft assembly and is Use used to hold the wheel down while removing/replacing the tyre.

Note : 224638 Cone is for bigger rims.

31 Bead Removal Tool for Lever Less Tyre Changing Machines

Colour: Weight: Code No. Size: Yellow 221048 60gms L-275mm 60gms 221048R

Material: Engineering Plastic. Glass filled for good strength and durability.

Jaw Guide Kit

Weight: Code No. 650gms 2201121 Material: CRC Sheet.

: Used in a set of four pieces to increase or decrease the rim

clamping size.

33 Motor Cycle Adaptor Kit

Size: Weight: Code No. L-111mm, W-41mm, H-107mm 915gms 220039

Material: Special Steel. Finish: White Zinc Plating.

Use : The kit of 4 Clamps and protectors fits most rim clamp tire changers. Allows standard Tire Changing Machine to grip Motorcycle wheels.

Lifts spoked wheels away from Turn Table. Easy to set up and remove.

Plastic Protection for Motor Cycle Adaptor Kit

Weight: Code No. 220039P 165gms

Universal Motor cycle Adaptor Kit

Code No. Weight: 220040 L-151mm, W-36.5mm, H-153mm 2.200kg

Material: Special Steel Finish: White Zinc Plating.

: Due to it's higher height it can also be used for changing tyres of

electric vehicles having motor fitted.

Note: Plastic Protection Kit 220039P Works also for 220040.







39 2200411 Bead Pressing Tool Kit

34 Tyre Lever Boot Short

Weight: Code No.

11gms

220009

Material: Nylon-6.

: Plastic protection for light metal rims used with tyre levers 220001

and 220002.

35 Tyre Lever Boot Long

Colour: Weight: Code No. Black (Ribbed end) 60gms 220019 Yellow (Ribbed end) 60gms 220019Y Black (Plain end) 58gms 220119

Material: Nylon-6.

Use : Plastic protection for light metal rims used with tyre levers.

36 Rim Protector for Passenger Car

Colour: Weight: Code No. Size: 150mm long 2200010 White 35gms 2200110 Black 150mm long 35gms 150mm long Red 35gms 2200210 Blue 150mm long 35gms 2200310 Yellow 35gms 2200410 150mm long

Material: Nylon-6.

: Used to clip over an alloy wheel to reduce scratching along wheel.

Rim Protector PU for Passenger Car

Weight: Colour: Size: Code No. Yellow 150mm long 40gms 2200410PU

Material: Made from Poly Urethane (PU).

: Used to clip over an alloy wheel to reduce scratching along wheel.

Rim Protector for Truck

Colour: Size: Weight: Code No. Yellow 230mm long 40gms 2200510

Material: Nylon-6.

: Used to clip over an alloy wheel to reduce scratching along wheel.

Bead Pressing Tool Kit

Weight: Code No. 1.475kg 2200411

The Kit contains the following items:

Tool: Weight: Code No. • Bead Presser with Plastic Roller 890gms **BPPR** 1 No. 1 No. Bead Presser Holder 365gms **BPH** Bead Presser Bracket 1 No 220gms **BPB**

Material: MS Pipe.

: Used to clip over an alloy wheel to reduce scratching along wheel.

40 Bead Holding Rope

Size: Code No. Weight: 990mm long 455gms 2200511 1190mm long 655gms 2200611

Material: SS wire and Nylon Blocks with Steel Bush.

: Keeps Passenger Car tyre bead from slipping during mounting of top. Holds the Bead in 6 positions in the drop center.



TYRE CHANGING MACHINE ACCESSORIES





www.sarveshwari.com

41 Swab Weight: Code No. 100gms 2200215 Standard Standard (Thinner) 80gms 2200216 110gms 2200315 Long Long (Thinner) 85qms 2200316 : Used to lubricate tyre beads while removing or mounting tyres on rims. Use

42 Tyre Mounting Aid

Weight: Code No. 2200011 310gms

Material: Nylon-6

: Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch decorative/Aluminum rims.

43 Tyre Mounting Aid (Supplied with Base 3)

Weight: Code No. 385gms 2200311

Material: Nylon-6

: Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch

decorative/Aluminum rims.

: For Tyre Mounting Aid 2200311 Base

Size: Weight: Code No. Base 3: 20mm 85gms 2200311C

44 Tyre Mounting Aid

Weight: Code No. 2200211 300gms

Material: Nylon-6

: Holds tyre bead below the rim flange for fast and damage free tyre mounting. Fits on all Passenger Car rims. Will not scratch

decorative/Aluminum rims.

Base : For Tyre Mounting Aid 2200211 (optional)

Size: Weight: Code No. Base 1 44mm 165gms 2200211A 20mm 2200211B Base 2 80gms Use : Base 1 and Base 2 are used for increasing the base height and

are optional to use.

Rim Clamp for Tubeless Truck Tyres

Weight: Code No. 2200013 1.600kg 1.750kg 2200113

Material: Special Steel Chrome plated to prevent corrosion.

: Clamps on wheel to prevent tyres from slipping by holding tyre bead.

Rim Clamp for Tubeless Truck Tyres (Alloy Rims)

Weight: Code No. 2200313 1.700kg

Material: Special Steel Chrome Plated to prevent corrosion.

: Clamps on wheel to prevent tyres from slipping by holding

tyre bead.

Plastic Protective Jaw Kit for Rim Clamp 2200313

Weight: Code No. 2200313P 24gms

Code No.

95gms

220213

Material: Made from indestructible Polymers Nylon-66.

: Keeps Truck tyre bead from slipping during mounting of top bead. Two bead holders are used simultaneously. No need to stand on tyre to mount.

48 Truck Tyre Bead Holder

47 Truck Tyre Bead Holder

Material: Weight: Code No. **CRC Sheet** 220400 350gms MS Casting 770gms 220500 MS Casting 250gms 220513

Weight:

Use : The bead holder locks onto the flange of the wheel and holds tyre bead in place to eliminate standing on the tyre or

changing the bead around the wheel.

35

















54 2200015







55 221115

49 Special Brush for Tyres with Wooden Handle for Passenger Cars & Trucks Size (Handle): Dia. Handle: Weight: Code No. 290mm long 25mm Wooden 80gms 220515 290mm long 25mm Plastic 75gms 220515P Use : Used to lubricate tire beads when mounting or removing tires.

50 Special Brush for Tyres with Wooden Handle for Trucks & Earthmovers

Size (Handle): Dia. Handle: Weight: Code No. 300mm long 50mm Wooden 150gms 220415 230mm long 50mm Plastic 220415P 145gms 230mm long 50mm Wooden 180gms 220615

Use: Used to lubricate tire beads when mounting or removing tires.

51 Brush for Tyres with Plastic Handle

Size (Handle):Handle:Weight:Code No.170mm longPlastic75gms220715Use: Used to lubricate tire beads when mounting or removing tires.

2 Brush for Tyres with Lid and Wooden Handle

Size (Handle):Handle:Weight:Code No.160mm longWooden65gms220815Use: Used to lubricate tire beads when mounting or removing tires.

53 Angled Applicator Brush for Tyres with Wooden Handle

Size (Handle):Handle:Weight:Code No.210mm longWooden95gms220915UseUsed to lubricate tire beads when mounting or removing tires.

54 Special Brush for Tyres

Size (Handle):Handle:Weight:Code No.160mm longWooden100gms2200015160mm longPlastic80gms2200115Use: Used to lubricate tire beads when mounting or removing tires.

55 Special Brush for Tyres with Wooden Handle

Size (Handle): Dia: Handle: Weight: Code No. 340mm long 25mm Wooden 47gms 221015 340mm long Wooden 50mm 221115 68gms : Used to lubricate tire beads when mounting or removing tires.

56 Sarv Paste (Economy)

 Colour:
 Weight:
 Code No.

 White
 1kg
 2200130

 White
 4kg
 2200430

 White
 5kg
 2200530

 Use
 Quick drying, non greasy tyre paste. Used for lubricating tyre

Use : Quick drying, non greasy tyre paste. Used for lubricating tyre beads in mounting & demounting operations.

57 Lube Bucket

 Colour:
 Weight:
 Code No.


 Red
 188gms
 2200630


Material : Special Plastic


















1 551804

1 Bead Breaking Rubber Pad

Weight:	Code No.	Weight:	Code No.
830gms	551004	3.310kg	551804
430gms	551104	1.365kg	559004
355gms	556304	890gms	558004
455gms	556404	2.095kg	551404

Use: Used with Tyre Changing Machines to prevent scratches on rims during bead breaking.









RUBBER & NYLON PADS FOR TYRE CHANGERS





2 551204WPC









551704

2 Bead Breaking Rubber Pad
Weight: Code No.
1.620kgs 551204

Protection Cover for Bead Breaking 0.265kgs 551204WPC Rubber Pad 551204

Material: Special Plastic.

Jse : It protects the wheel when using the shovel to loosen the bead

of the wheel

Note : 551204WPC protection cover fits on the bead breaking pad 551204.

 Weight:
 Code No.

 1.310kgs
 551304

 Material: PU.
 1.070kgs
 556204

4 Large Bead Loosener Front Pad (Nylon)

Weight: Code No. 250gms **551504**

5 Small Bead Loosener Front Pad (Nylon)


6 Large Centre Rubber Pad

Weight: Code No.
195gms 551704


Weight: Code No.

1.195kgs **551604**

7 Centre Rubber Pad Weight: Code No. 0.923kgs 556104




6 551604



7 556104

38





1 Valve Core Screw Driver double ended 1"stem length (VG5/Caps)

Weight: Code No.

35gms 330001

Material: Carbon Steel and Plastic handle.

Use : Removing & fixing valve cores in Passenger Cars and Trucks.

Large and standard bore.

2 Valve Core Screw Driver standard single ended 1" stem length

Colour: Weight: Code No. Red 330002 25gms Blue 330002BLU 25gms

Material: Carbon Steel and Plastic handle. : Removing & fixing valve cores.

3 Valve Core Screw Driver double ended 1" stem length (VG5/VG8)

Colour: Weight: Code No. Red 3300012 35gms 35gms 3300012BLU

Material: Carbon Steel and Plastic handle.

: Removing & fixing valve cores, VG5 from one end and VG8 from

the other end.

4 Valve Core Screw Driver standard single ended 1" stem length

Colour: Weight: Code No. Red 3300014 20gms Black 20gms 3300014BK Red 45gms 3300614

Material: Carbon Steel and Plastic handle. Use : Removing & fixing valve core VG5. Note : 3300614 is used for large bore valves VG8.

Valve Core Screw Driver standard single ended 1.5" stem length

Code No. Weight: 3300114 20gms

Material: Carbon Steel and Plastic handle. : Removing & fixing Valve Core VG5.

6 Valve Core Screw Driver standard single ended 4" stem length

Code No. Weight: 30gms 3300214

Material: Carbon Steel and Plastic handle.

: Removing & fixing Valve Cores VG5 from remote distance.

Valve Core Screw Driver (VG5/VG8)

Weight: Code No. 35gms 3300314

Material: Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated.

8 Valve Core Screw Driver 2" Stem Length with Torque

Weight: Code No. 3300414 40gms

Torque: Pre-set tightening torque 0.4 Nm.

Material: Carbon Steel & Plastic handle. Metal part is Nickel Chrome Plated. : Prevents over screwing of the core while removing & fixing.

9 Cable Type Valve Fishing Tool

Length: Weight: Code No. 3300015 215mm 35gms 300mm 40gms 3300035 600mm 60gms 3300065

Material: Carbon Steel.

: Tool for easy valve installation in tubeless tyres.

10 Rigid Plastic Extensions

Total Length: Weight: Code No. 115mm 3300215 7gms 125mm 9gms 3300125

Use : Mainly used to lengthen the valves on Trucks.





11 Ventifix Plastic with Revolving Nozzle

Colour:Weight:Code No.Red85gms330043

Material: Polyamide-6 for imparting super bending strength to the lever.

Use: For removing tubeless Motorcycle valves.

12 Ventifix Plastic

 Colour:
 Weight:
 Code No.

 Blue
 75gms
 330003BLU

 Green
 75gms
 330003

Material: Polyamide-6 for imparting super bending strength to the lever.

Finish : All metal parts are Nickel Chrome Plated.

: For mounting Rubber snap-in valves on Passenger Car. Protects

light metal alloy rims from scratch.

13 Ventifix Plastic with Valve Core Screw Driver at End

Colour:Weight:Code No.Green75gms330073Material: Polyamide-6 for imparting super bending strength to the lever.

Use : For mounting Rubber snap-in valves on Passenger Car & to

open valve core screw.

14 Ventifix Plastic Reinforced with Metal Rod

 Colour:
 Weight:
 Code No.

 Yellow
 120gms
 330003YS

 Red
 120gms
 330003RS

Material: Polyamide-6 for imparting super bending strength to the lever.

Finish: All metal parts are Nickel Chrome Plated.

Jse : Reinforced with inner metal rod for increase durability and stability Ideal for quick removal of valve stems and for sealing newly

installed valve stems.

15 Ventifix Plastic Reinforced with Metal Rod & Valve Core Remover at End

 Colour:
 Weight:
 Code No.

 Red
 126gms
 330003SCR

16 Ventifix Steel

Colour:Material:Weight:Code No.SilverCarbon Steel300gms330004SilverSteel Sheet150gms330024

Use : Ruggedly constructed Steel tool is designed to provide sure grip and leverage necessary for positioning seating or removal of snap-in type valves. Deep thread head assures ease of valve

stem attachment.

17 Ventifix Aluminum with Rubber & Nylon Block

 Colour:
 Weight:
 Code No.

 Golden
 242gms
 330083

 Use
 : Specially designed tool for insertion / removal of all kind of valve

: Specially designed tool for insertion / removal of all kind of valves. Suitable for TPMS valves. The Rubber and Nylon pad prevents

scratching of the wheel rim.

18 Ventifix Plastic (Heavy Duty)

 Colour:
 Weight:
 Code No.

 Red
 95gms
 330023

 Black
 95gms
 3300123

 Yellow
 95gms
 3300223

Material: Polyamide-6 for imparting super bending strength to the lever.

: For mounting Rubber snap-in valves on Passenger Car & to open valve core screw. Multiple ridges help keep the tool in place on

wheels with different sizes.

19 Valve Extension Holder

Colour:	Type:	Size:	Weight:	Code No.
Golden	Double Strip	8mm	35gms	330007
Golden	Double Clip	16mm	60gms	330008
Golden	Single Clip	16mm	55gms	330009
Golden	Single Clip	26mm	60gms	330029

Material: Carbon Steel and Spring Steel Wire.

Finish: Zinc Plated.

Use: To secure position of flexible valve extensions.





_				
20	Valve	Core	Screw	Driver

Size:	Weight:	Code No
1"	15gms	3300021
2"	40gms	3300061
4"	42gms	3300041
5"	45gms	3300051

Material: Carbon Steel with Aluminum handle.

21 Valve Core Screw Driver Flexible

Size:	Weight:	Code No.
6"	46gms	3300611
8"	60gms	3300011

Material: Carbon Steel and flexible Steel Wire rope with Aluminum handle.
 Use: This Valve Core Screw Driver holds the valve core with a clip.
 Also the fitting / removing of valve cores is much easier.

22 Valve Core Screw Driver with Magnet

Size:	Weight:	Code No
∆"	45ams	3300541

Material : Carbon Steel. Magnet on the top of handle provides easy picking of valve core.

23 Valve Core Screw Driver For OTR Tyres

Size:	Weight:	Code No
4"	100gms	3300441

Material: Carbon Steel with Aluminum handle.

24 Valve Cap Screw Driver For OTR Tyres

	Weight:	Code No.
Material: Special Steel.	120gms	3300641

25 Tubeless Valve Stem Puller

Use

Colour:	Handle Material:	Weight:	Code No.
Red	Aluminum	150gms	330006
Black	Steel	265gms	330026
Blue	Steel	310gms	330036
Black	Steel	275gms	330046
Green	Steel	275gms	330056

: Installs and removes tubeless valves in seconds and protects the expensive alloy rim from scratch. Metal tip helps push out old snap in valve. All handles are PVC coated for hand protection.

26 Tubeless Valve Stem Puller (Heavy Duty)

Weight:	Code No.
400gms	3300018

Material: Made out of Carbon Steel Strip. **Finish**: Nickel/Zinc plated to prevent rusting.

Use : Heavy duty Pull a Stem Tool to pull old or insert new tubeless

Rubber valve of all sizes.

27 Heavy Duty 4 Way Valve Core Repair Tool

Finish:	M	aterial:	Weight:	Code No.
Auto blac	k C	arbon Steel	25gms	3300115
Zinc plate	ed S _l	pecial Steel	20gms	3300116
Haa	Donaira and	roconditiona incida a	and outside Value thro	ada and

Use : Repairs and reconditions inside and outside Valve threads and removes broken cores.





1115 27 33001



1 Sticher Serrated Plastic

Thickness: Dia: Weight: Code No. 440728 4mm 30gms

28mm

Material: Nylon Plastic.

: The Sticher is used to remove air from underneath tyre patch Use

repairs and to ensure proper adhesion.

Sticher Serrated Plastic Handle

Thickness: Dia: Weight: Code No. 20mm 442071 7mm 75gms

: The Sticher is used to remove air from underneath tyre patch Use

repairs and to ensure proper adhesion.

3 Special Sticher for Mushroom Kit

Thickness: Dia: Weight: Code No. 440727 35mm 85gms 9_{mm}

Use : The Sticher is used to remove air from underneath tyre patch

repairs and to ensure proper adhesion.

Sticher Wooden Handle

Type:	Thickness:	Dia:	Weight:	Code No.
Economy Serrated	3mm	35mm	110gms	440009
Serrated	3mm	38mm	135gms	443831
Serrated	6mm	38mm	160gms	443861
Serrated	2mm	25mm	105gms	442521
Serrated	4mm	50mm	200gms	445041
Smooth	10mm	40mm	195gms	440008

: The Sticher is used to remove air from underneath tyre patch Use repairs and to ensure proper adhesion.

Flexible Skiving Knife

Model: Size: Weight: Code No. Extra Sharp 100mm long 50gms 440004 Taper Point 85008 100mm long 50gms 120mm long Extra Curve 52gms 85009 Round Point 85010 90mm long 55gms

: Used to cut and remove excess tyre repair plug ropes from the Use

exterior of the type tread.

6 Hoe Style Inner Liner Scraper

Colour: Weight: Code No. 440005 Blue 120gms 440005BK Black 120gms

Use : For cleaning the inner liners for both puncture and section repair

prior to buffing.

Tyre Injury Measuring Tool

Weight: Code No. 95gms 4400041

Use : A special tool used for measuring tyre injury varying from

3mm to 10mm.

8 Tyre Probe

Handle: Size: Weight: Code No. 4400021 Wooden 100mm long 110gms Plastic 100mm long 65gms 4400031 Use

: For verifying damages, course of injuries and removing small

foreign objects from the tyre tread.



8 4400031





9 Rotary Gouges

Dia:Speed:Weight:Code No.30mmMaximum 4500 rpm43gms85007-3050mmMaximum 4500 rpm103gms85007-50Use: Rotary Gouges quickly remove rubber from the hole easily.

10 Wire Puller

LengthWeightCode No.190mm12gms85021

Use: Used to pull plugs through the repair hole while repairing a tire.

11 Angular Milling Cutter (High Speed Steel)

Blade Length :	Total Length:	Dia:	Weight:	Code No.
30mm	60mm	3mm	3gms	4400317
50mm	110mm	4mm	5gms	4400417
50mm	80mm	4.5mm	13gms	4400457
30mm	90mm	6mm	16gms	4400017
45mm	80mm	6mm	18gms	4400617
45mm	75mm	6mm	16gms	4401617
50mm	110mm	6mm	20gms	4402617
50mm	110mm	8mm	40gms	4400817
60mm	110mm	8mm	40gms	4401817
40mm	110mm	9mm	45gms	4400917
50mm	110mm	9mm	45gms	4401917
64mm	115mm	10mm	55gms	4401017
72mm	120mm	13mm	95gms	4401317

Use: For the precise injury preparation on radial and cross-ply tires.

12 Angular Milling Cutter in Screw Driver Handle

 Blade Length:
 Dia:
 Weight:
 Code No.

 50mm
 6mm
 30gms
 4403617

 45mm
 30gms
 4404617

Material: High Speed Steel.

Use : The screw driver handle encloses the Angular Milling Cutter to be

used manually.

Note : Angular Milling Cutter 4402617 is used in code No. 4403617.

Angular Milling Cutter 4400617 is used in code No. 4404617.

13 Car Tyre Spreader

 Length:
 Weight:
 Code No.

 235mm
 55gms
 4400320

 330mm
 90gms
 4400420

Material: Plastic.

Use: Used in pair to open the beads of tyre.

14 Tyre Bench Spreader for Passenger Car

 Size:
 Weight:
 Code No.

 L-431mm, W-101mm, H-101mm
 3.600kg
 4400020

 L-457mm, W-127mm, H-254mm
 5.600kg
 4400120

Material: CRC Steel.

Use : Tyre spreader is used for preparing the inspection and repair of Car and Truck tyres.

Tyre Bench Spreader for Passenger Car / Motorcycle

 Size:
 Weight:
 Code No.

 L-600mm, W-290mm, H-250mm
 6.500kg
 4400220

Material: CRC Steel.

Use

: Holds the tube & provides a smooth base for processing. Spreads Car & Motorcycle tyres. Can be mounted on work bench. Suitable for very long stiff beads. High stability and strength.

16 Tyre Bench Spreader for Truck

 Size:
 Weight:
 Code No.

 L-640mm, W-315mm, H-270mm
 14kg
 4400620

Material: CRC Steel.







NSTAND

20 4400010KIT





23 Needles

17 Air Gun

Size: Weight: Code No. 220mmx170mmxSuction Port Ø 28mm 300gms 610008

 Use : High Performance Vacuum Tube provides excellent function of vacuum & even tiny dust as fine powder can be cleaned efficiently.

18 Spherical Rasp

Stem Length:Dia:Weight:Code No.40mm38mm48gms440627Use: Used to remove & grind away ribs inside the tyre prior to puncture

repair.

19 Tyre Marking Chalk

Colour:Size:Box Weight:Code No.White90mm long160gmsTMCHALKWYellow90mm long160gmsTMCHALKY

Weight:

Code No.

Note: 10 pieces packed in one box.

20 Chrome T- Handle Kit

PG-1

PG-7

382.5gms 4400010KIT

The Kit contains the following items:

Tool: Size: Qty: Code No.

Chrome T-handle ----- 1 No. 4400010H

Chrome 1-handle
 Spiral Probe
 Open Eye Needle
 Allen Key
 Needle Stand
 No.
 1 No.
 PG-6
 PG-1
 No.
 PG-7
 NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

21 Pistol Grip Handle Kit

 Weight:
 Code No.

 137.5gms
 4400011KIT

The Kit contains the following items:

	The fat contains the following terms:			
	Tool:	Size:	Qty:	Code No.
0	Pistol Grip Handle		1 No.	4400011H
	Spiral Probe	5"	1 No.	PG-6
	Open Eye Needle	4"	1 No.	PG-1
	Allen Key		1 No.	PG-7
	Needle Stand		1 No.	NSTAND

Note: Needle Stand is used for keeping the other needle handy when not in use.

22 Handle only for insertion with socket key and screw

 Tool:
 Weight:
 Code No.

 Aluminum T-Handle
 105gms
 4400110H

 Chrome T- Handle
 338gms
 4400010H

 Pistol Grip Handle
 85gms
 4400011H

Note: The Handles are supplied with Allen key.

23 Needles Only

Tool:	Size:	Weight:	Code No.
Open Eye Needle	3" (76mm)	10gms	PG-0
Open Eye Needle	4" (101mm)	15gms	PG-1
Open Eye Needle	6" (152mm)	15gms	PG-2
Open Eye Needle	8" (203mm)	20gms	PG-3
Side Split Needle	5" (127mm)	13gms	PG-11
Side Split Needle	8" (203mm)	20gms	PG-4
Close Eye Needle	4" (101mm)	10gms	PG-5
Close Eye Needle	8" (203mm)	22gms	PG-8
Close Eye Needle	9" (228mm)	25gms	PG-9
Spiral Probe	5" (127mm)	20gms	PG-6
Allen Key		5gms	PG-7
Truck Rasp Needle	8" (203mm)	25gms	PG-10





24	Open Eye Needle in	Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	3"	60gms	4400015
	Black	5"	70gms	4400415
25	Close Eye Needle in	Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	3"	65gms	4400215
26	Tyre Probe with Knu	urling in Plastic T-Har	ndle	
	Colour:	Size:	Weight:	Code No.
	Black	3"	60gms	4400315
27	Spiral Probe Needle	In Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	4"	65gms	4400115
28	Rasp Passenger Ca	r In Plastic T-Handle		
	Colour:	Size:	Weight:	Code No.
	Black	4"	55gms	4400515
29	Spiral Probe in Scre	w Driver PCV Handle	•	
	Colour:	Size:	Weight:	Code No.
	Black	4"	55gms	4400123
30		r in Screw Driver PV		
	Colour:	Size:	Weight:	Code No.
	Red	4" 4"	45gms	4400012
	Black	4	45gms	4400012Bk
31		er Car Needle in Scre		
	Colour:	Size:	Weight:	Code No.
	Red	4"	45gms	4400112
	Black	4"	45gms	4400112BK
32	Side Split Needle in	Screw Driver PVC H	andle	
	Colour:	Size:	Weight:	Code No.
	Red	4"	40gms	4400122
33	Side Split Needle w	ith Knurling in Screw	Driver PVC Handle	
	Colour:	Size:	Weight:	Code No.
	Black	3"	35gms	4400156
	Black	4"	45gms	4400146
34	Passenger Car Real	mer in Screw Driver F	PVC Handle	
	Colour:	Size:	Weight:	Code No.
	Black	3"	25gms	4400614
35	Truck Rasp in Screv	w Driver PVC Handle		
	Thickness:	Size:	Weight:	Code No.
	6mm	6"	80gms	4400414
	6mm	8"	100gms	4400214
	8mm	8"	120gms	4400514
36	Truck Close Eve No	edle in Screw Driver	Handle .	
	Colour:	Size:	Weight:	Code No.
	Black	8"	85gms	4400314
	Black	7"	75gms	4400714Bk
37	Side Snlit Needle H	eavy Duty with Knurli	ng in Screw Driver I	PVC Handle
σı	Colour:	Size:	Weight:	Code No.
	Red	8"	105gms	4400116
38	Side Split Needle w	ith Knurling in Triang		Code Na
		Size:	Weight:	Code No.
		4	30gms	4400126
		_		
		38 4400126		_
				45





	7		45 4400418	
		-	45 4400016	1
	1		44 4400918	
	Black Red	6" 8"	85gms 110gms	4400016 4400418
45	Side Split Needl	e in Pistol Grip Ha Size:	andle Weight:	Code No.
44	Side Split Needl Colour: Red	e Heavy Duty with Size: 8"	n Knurling in Pistol Gri Weight: 107gms	ip Handle Code No. 4400918
	Black	8"	100gms	4400014 4400014BK
43	Truck Rasp in P Colour: Red	istol Grip Handle Size: 8"	Weight: 100gms	Code No. 4400014
	Red Black	4" 4"	90gms 90gms	4400114 4400114BK
42	Colour:	Rasp in Pistol Gri _l Size:	Weight:	Code No.
	Black Red	7" 8"	87gms 87gms	4401118BK 4401018
	Black Red	3" 4"	85gms 85gms	4401218BK 4400318
41	Close Eye Need Colour:	le in Pistol Grip H Size:	andle Weight:	Code No.
40	Spiral Probe in I Colour: Red	Pistol Grip Handle Size: 4"	Weight: 85gms	Code No. 4400018
	Red Red	6" 8"	100gms	4400718 4400518
	Red Black	5" 5"	85gms 85gms 90gms	4400218 4400218BK
	Black Red	3" 4"	80gms 82gms	4400118BK 4400818
	Colour: Red & Black Red	Size: 3" 3"	Weight: 70gms 80gms	Code No. 4401318 4400118





1 440037





2 440027

1 Sarv Premium Kit (Tubeless Tyre Repair Kit in Plastic Box)

		Weight: 1.600 kg	Code No. 440037
The Kit contains the following items:			
Tool:	Size:	Qty:	Code No.
 Spiral Probe in Chrome T- Handle 	4"	1 No.	44SP37
 Open Eye Needle in Chrome T-Handle 	5"	1 No.	440E37
Allen Key		1 No.	CT-3
 Cutting Knife 		1 No.	44SK47
Paste		1 No.	44PA37
 Flap of 5 Repair Strings 	4"	4 No.	44RS07

2 Sarv Super Seal Kit (Mushroom Type Tubeless Tyre Repair Kit)

		Weight: 350gms	Code No. 440027
The Kit contains the following items:			
Tool:	Size:	Qty:	Code No.
 Mushroom Patch 	3mm	10 No.	440127
 Mushroom Patch 	6mm	5 No.	440227
Tube of Solution	20ml	5 No.	440827
 Angular Milling Cutter 	6mm	1 No.	4401617
 Angular Milling Cutter 	3mm	1 No.	4400317
 Spherical Rasp 	38mmø	1 No.	440627
 Special Sticher for Mushroom Kit 		1 No.	440727

Use : Rapid, reliable and permanent repair. Specially designed for puncture made by nails, scarves, bolts in tyres. Total compatibility with all makes of tyres.

3 Sarv Rad Seal Kit (Tubeless Tyre Repair Kit for Bicycles)

		Weight: 65gms	Code No. 440047
	The Kit contains the following items:		
	Tool:	Qty:	Code No.
0	Reaming tool in Screw Driver type Handle	1 No.	44RT47
D	Insertion tool in Screw Driver type Handle	1 No.	44IT47
0	Small Cutting Knife	1 No.	44SK47
0	Flap of 5 repair Strings 2" long, Dia. 4mm	2 No.	44RS06
D	Instruction sheet	1 No.	





3 440047









6 440067





4 Sarv - Seal Kit (Tubeless Tyre F	Repair Kit)		
		Weight: 185gms	Code No. 440007
The Kit contains the following	items:		
Tool:	Size:	Qty:	Code No.
 Spiral Probe in PG Handle 	4"	1 No.	44SP07
 Open Eye Needle in PG Handle 	3"	1 No.	440E07
 Cutting Knife 		1 No.	44CK07
 Flap of 5 Repair Strings 	4"	1 No.	44RS07
 Instruction Sheet 		1 No.	

5 Sarv - Chrome Seal Kit (Tu	ıbeless Tyre Rep	air Kit)	
		Weight: 445gms	Code No. 440057
The Kit contains the follo	wing items:		
Tool: Chrome T-Handle Spiral Probe Open Eye Needle Allen Key Cutting Knife Flap of 5 Repair Strings Instruction Sheet	Size: 4" 3" 4"	Qty: 1 No.	Code No. 4400010H 44SP57 44OE57 CT-3 44CK07 44RS07

6 Sarv - Blister Seal Kit (Tubeless Tyre Repair Kit) Weight: Code No. 165gms 440067 The Kit contains the following items: Size: Qty: Code No. 44SP07 Spiral Probe in PG Handle 4" 1 No. 3" 1 No. 440E07

Open Eye Needle in PG HandleSmall Cutting Knife 1 No. 44SK47 Flap of 5 Repair Strings 4" 1 No. 44RS07

Repair Strings Colour: Size (Flap): Weight: Code No. 2" long 4" long Brown 3gms 44RS06 44RS07 Brown 15gms Black 4" long 15gms 44RS07BK 8" long 25gms 44RS08 Brown Black 8" long 25gms 44RS08BK


Packaging: 1 flap consists of 5 repair Strings.





7 44RS08









Universal Plus Brake Lathe Silencer and Chip Deflector with Velcro

Pad Thickness Lenght: Weight: Code No. 210mm 9.53mm 85gms 610001

Note : Do not use on Pro-cut Brake Lathe.

> : Eliminates vibration while cutting. Also ensures safety by deflecting chips towards the floor away form operators face. The strap keeps

the silencer in place throughout the cut.

2 Extra Thick Clip on Silencer and Chip Deflector for On-Car Brake Lathe

Lenght: **Pad Thickness** Weight: Code No. 210mm 85gms 610002 19mm

Note : Use with the on Pro-cut on-car Brake Lathe only.

Use : Used on car lathes, the silencer rides behind the tool bit to meet the vibration and noise where it starts. Long lasting pad.

3 Battery Terminal Plier

Use

Open Size Lenght Weight: Code No. 1/2" 180mm 610003 300gms

Material: Alloy Steel

Use : Used to Clean & Spread Battery Cable Clamp Terminals.

4 Tyre Branding Tool Rectangular

Weight: Code No. 610004 70x35mm 1.00kg

Description: Single Slot Holds Seven (Max), 12mm Replaceable Numbers

Numbers/ Letters: 1/2 " Number 0-9 & A To Z Letters (sold separately).

Power use : 300W

5 Tyre Branding Tool

Size Weight: Code No. 610005 Big 3.25kg

Description: Single Slot Holds Four (Max), 1Inch Replaceable Letters. : 1 " Number 0-9 are Located Around the Outside of Head.

Letters : A-Z under Slot Power use : 1000W

Heavy Duty Wheel Puller

Weight: Hook: Code No. 6.00kg 610006 Single Hook 6.70kg 610007 Double Hook

Available : Single & Double Hook

Use : Used to remove Stuck hub heavy duty wheels.

Eliminate need to crawling under vehicle.





Sarveshwari Engineers has now been assessed with the Quality Management System which conforms to ISO 9001: 2015 **Sarveshwari Engineers** has also been assessed with Environmental Management System which conforms to ISO 14001:2004



Sarveshwari Engineers in now part of the Dun & Bradstreet Global Database and has been assigned the D&B D-U-N-S[®] Number: 85-955-7809

AWARDS WON BY Sarveshwari Engineers



TRILA COMPANY OF THE YEAR TYRE SERVICES EQUIPMENT 2018

Award: Tyre & Rubber Industry Leadership Acknowledgment Awards 2018

BUSINESS SPHERE GROUP 2012-2013

Award: Top Company in Manufacturing Quality
Wheel Balancing Accessories & Tyre Changing Products.

One of the trailblazers:

Mr. MAHENDRA N. GOEL

President

Sarveshwari Engineers





STAR PERFORMER IN 2012-13 BASIC IRON & STEEL SMALL ENTERPRISES

Awarded by: EEPC INDIA to Sarveshwari Engineers



MANUFACTURING AND EXPORTS TO **90+** COUNTRIES SINCE **1987**



WORLDWIDE PRESENCE









Sarveshwari Engineers 355 Deepali, Pitampura, Delhi - 110 034 (INDIA) Tel.: 91-11-2702 3750, 91-11-2702 1499 Web: www.sarveshwari.com

E-mail: info@sarveshwari.com





